


**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.3219$   $y=0.3301$   $u'=0.2038$   $v'=0.4703$   
 $T_c=6013K$  (Duv=-0.0008) Dominant WL:Ld =488.0nm Purity=4.1%  
 Ratio:R=14.2% G=82.7% B=3.1% Peak WL:Lp=447.7nm HWL:Lhd=20.6nm  
 Render Index:Ra=71.1  
 R1 =71 R2 =74 R3 =73 R4 =73 R5 =72 R6 =64 R7 =79  
 R8 =63 R9 =0 R10=36 R11=71 R12=40 R13=70 R14=84 R15=68

**Photo Parameters:**

Flux = 1854 lm Eff. : 112.91 lm/W Fe = 5.836 W

**Electrical parameters:**

V = 13.20 V I = 1.244 A P = 16.42 W PF = 1.000


LEVEL:OUT WHITE:ANSI\_5700K

Status: Integral T = 5 ms Ip = 45738 (70%)

Model:E2-2TONE-H7 白光  
 Tester:胡军  
 Temperature:23Deg  
 Manufactory:

Number:1#  
 Date:2023-09-14  
 Humidity:60%  
 Remarks:

**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.3199$   $y=0.3302$   $u'=0.2024$   $v'=0.4700$   
 $T_c=6114K$  (Duv=0.0002) Dominant WL:Ld =488.6nm Purity=4.8%  
 Ratio:R=14.1% G=82.2% B=3.6% Peak WL:Lp=450.4nm HWL:Lhd=24.5nm  
 Render Index:Ra=73.3  
 R1 =72 R2 =77 R3 =77 R4 =74 R5 =73 R6 =67 R7 =82  
 R8 =64 R9 =0 R10=42 R11=70 R12=42 R13=72 R14=87 R15=69

**Photo Parameters:**

Flux = 1015 lm Eff. : 117.01 lm/W Fe = 3.225 W

**Electrical parameters:**


V = 13.20 V I = 0.6569 A P = 8.670 W PF = 1.000  
 LEVEL:OUT WHITE:ANSI\_6500K

Status: Integral T = 11 ms Ip = 50918 (78%)

Model:E2-2TONE-H7 白光 稳定  
 Tester:胡军  
 Temperature:23Deg  
 Manufactory:

Number:1#  
 Date:2023-09-14  
 Humidity:60%  
 Remarks:

**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.4734$   $y=0.4993$   $u'=0.2354$   $v'=0.5586$   
 Tc=3122K (Duv=0.0287) Dominant WL:Ld =576.0nm Purity=92.1%  
 Ratio:R=18.3% G=81.5% B=0.2% Peak WL:Lp=575.0nm HWL:Lhd=108.7nm  
 Render Index:Ra=55.3  
 R1 =46 R2 =63 R3 =79 R4 =48 R5 =43 R6 =46 R7 =84  
 R8 =32 R9 =0 R10=15 R11=29 R12=1 R13=47 R14=89 R15=37

**Photo Parameters:**

Flux = 1986 lm Eff. : 120.41 lm/W Fe = 4.710 W

**Electrical parameters:**


V = 13.20 V I = 1.250 A P = 16.49 W PF = 1.000  
 LEVEL:OUT WHITE:ANSI\_6500K

Status: Integral T = 8 ms Ip = 51631 (79%)

Model:E2-2TONE-H7 黄光  
 Tester:胡军  
 Temperature:23Deg  
 Manufactory:

Number:1#  
 Date:2023-09-14  
 Humidity:60%  
 Remarks:

**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.4745$   $y=0.4991$   $u'=0.2361$   $v'=0.5587$   
 $T_c=3106K$  (Duv=0.0285) Dominant WL:Ld =576.1nm Purity=92.4%  
 Ratio:R=18.3% G=81.5% B=0.2% Peak WL:Lp=575.0nm HWL:Lhd=107.0nm  
 Render Index:Ra=54.5  
 R1 =45 R2 =63 R3 =79 R4 =46 R5 =41 R6 =46 R7 =84  
 R8 =31 R9 =0 R10=15 R11=27 R12=0 R13=47 R14=89 R15=37

**Photo Parameters:**

Flux = 1007 lm Eff. : 125.42 lm/W Fe = 2.397 W

**Electrical parameters:**

V = 13.20 V I = 0.6083 A P = 8.029 W PF = 1.000  
 LEVEL:OUT WHITE:ANSI\_6500K

Status: Integral T = 16 ms Ip = 52648 (80%)

Model:E2-2TONE-H7 黄光 稳定  
 Tester:胡军  
 Temperature:23Deg  
 Manufactory:

Number:1#  
 Date:2023-09-14  
 Humidity:60%  
 Remarks: