


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3223$ $y=0.3363$ $u'=0.2017$ $v'=0.4736$
 $T_c=5972K$ (Duv=0.0022) Dominant WL:Ld =495.2nm Purity=3.5%
 Ratio:R=13.7% G=83.4% B=3.0% Peak WL:Lp=447.0nm HWL:Lhd=23.3nm
 Render Index:Ra=69.1
 R1 =68 R2 =72 R3 =73 R4 =71 R5 =69 R6 =62 R7 =78
 R8 =59 R9 =0 R10=32 R11=69 R12=39 R13=67 R14=85 R15=64

Photo Parameters:

Flux = 1549 lm Eff. : 89.46 lm/W Fe = 4.783 W

Electrical parameters:


V = 13.20 V I = 1.312 A P = 17.32 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_5700K

Status: Integral T = 6 ms Ip = 50652 (77%)

Model:E2-H8
 Tester:梁思敏
 Temperature:23Deg
 Manufactory:

Number:2#
 Date:2021-08-12
 Humidity:60%
 Remarks:

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3176$ $y=0.3333$ $u'=0.1996$ $v'=0.4713$
 $T_c=6219K$ (Duv=0.0030) Dominant WL:Ld =491.7nm Purity=5.3%
 Ratio:R=13.5% G=82.7% B=3.8% Peak WL:Lp=451.7nm HWL:Lhd=29.1nm
 Render Index:Ra=72.4
 R1 =70 R2 =76 R3 =78 R4 =73 R5 =71 R6 =67 R7 =82
 R8 =61 R9 =0 R10=41 R11=68 R12=43 R13=71 R14=87 R15=66

Photo Parameters:

Flux = 898.8 lm Eff. : 84.15 lm/W Fe = 2.826 W

Electrical parameters:

V = 13.20 V I = 0.8092 A P = 10.68 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_6500K

Status: Integral T = 11 ms Ip = 50166 (77%)

Model:E2-H8 稳定
 Tester:梁思敏
 Temperature:23Deg
 Manufactory:

Number:2#
 Date:2021-08-12
 Humidity:60%
 Remarks: