


**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate: $x=0.3201$   $y=0.3353$ / $u'=0.2006$   $v'=0.4727$   
 $T_c=6087K$ ( $Duv=0.0028$ ) Dominant WL: $L_d = 493.6nm$  Purity=4.4%  
 Ratio: $R=14.0\%$   $G=82.5\%$   $B=3.4\%$  Peak WL: $L_p=449.5nm$  HWL: $L_{hd}=21.1nm$   
 Render Index: $R_a=73.3$   

|        |        |        |        |        |        |        |        |
|--------|--------|--------|--------|--------|--------|--------|--------|
| R1 =72 | R2 =76 | R3 =78 | R4 =75 | R5 =73 | R6 =68 | R7 =82 |        |
| R8 =63 | R9 =0  | R10=42 | R11=73 | R12=43 | R13=72 | R14=87 | R15=68 |

**Photo Parameters:**

Flux = 2619 lm    Eff. : 98.66 lm/W    Fe = 8.145 W

**Electrical parameters:**


$V = 13.50 V$      $I = 1.967 A$      $P = 26.55 W$   $PF = 1.000$   
 LEVEL:OUT    WHITE:ANSI\_6500K

Status: Integral  $T = 3 ms$   $I_p = 45434 (69\%)$

Model:E4P-H7  
 Tester:胡军  
 Temperature:23Deg  
 Manufactory:

Number:1#  
 Date:2022-08-30  
 Humidity:60%  
 Remarks:

**Spectrum Test Report**



**Color Parameters:**

Chromaticity Coordinate:  $x=0.3162$   $y=0.3315$   $u'=0.1993$   $v'=0.4701$   
 $T_c=6304K$  (Duv=0.0027) Dominant WL:Ld =490.3nm Purity=5.9%  
 Ratio:R=14.0% G=81.8% B=4.2% Peak WL:Lp=453.2nm HWL:Lhd=26.9nm  
 Render Index:Ra=75.9  
 R1 =74 R2 =80 R3 =82 R4 =76 R5 =74 R6 =72 R7 =85  
 R8 =64 R9 =0 R10=50 R11=72 R12=47 R13=75 R14=90 R15=70

**Photo Parameters:**

Flux = 1843 lm Eff. : 88.56 lm/W Fe = 5.867 W

**Electrical parameters:**

V = 13.50 V I = 1.542 A P = 20.82 W PF = 1.000

LEVEL:OUT WHITE:ANSI\_6500K

Status: Integral T = 5 ms Ip = 48984 (75%)

Model:E4P-H7 稳定  
 Tester:胡军  
 Temperature:23Deg  
 Manufactory:

Number:1#  
 Date:2022-08-30  
 Humidity:60%  
 Remarks: