


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3176$ $y=0.3279$ $u'=0.2017$ $v'=0.4685$
 $T_c=6248K$ (Duv=0.0002) Dominant WL:Ld =487.2nm Purity=5.7%
 Ratio:R=13.9% G=83.0% B=3.1% Peak WL:Lp=446.4nm HWL:Lhd=19.9nm
 Render Index:Ra=71.3
 R1 =71 R2 =74 R3 =73 R4 =74 R5 =73 R6 =65 R7 =78
 R8 =62 R9 =0 R10=36 R11=73 R12=42 R13=70 R14=85 R15=67

Photo Parameters:

Flux = 2973 lm Eff. : 83.64 lm/W Fe = 9.340 W

Electrical parameters:


V = 13.20 V I = 2.693 A P = 35.54 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_6500K

Status: Integral T = 3 ms Ip = 53964 (82%)

Model:M5S-H4 H
 Tester:李士英
 Temperature:23Deg
 Manufactory:

Number:1#
 Date:2022-06-02
 Humidity:60%
 Remarks:

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3151$ $y=0.3254$ $u'=0.2008$ $v'=0.4667$
 Tc=6403K (Duv=0.0001) Dominant WL:Ld =485.9nm Purity=6.8%
 Ratio:R=13.8% G=82.4% B=3.7% Peak WL:Lp=449.8nm HWL:Lhd=24.6nm
 Render Index:Ra=73.7
 R1 =73 R2 =77 R3 =77 R4 =76 R5 =74 R6 =68 R7 =82
 R8 =64 R9 =0 R10=42 R11=73 R12=45 R13=73 R14=87 R15=69

Photo Parameters:

Flux = 2235 lm Eff. : 79.81 lm/W Fe = 7.135 W

Electrical parameters:


V = 13.20 V I = 2.122 A P = 28.01 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_6500K

Status: Integral T = 4 ms Ip = 49559 (76%)

Model:M5S-H4 H 稳定
 Tester:李士英
 Temperature:23Deg
 Manufactory:

Number:1#
 Date:2022-06-02
 Humidity:60%
 Remarks:

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3208$ $y=0.3334$ $u'=0.2018$ $v'=0.4719$
 Tc=6056K (Duv=0.0015) Dominant WL:Ld =491.8nm Purity=4.2%
 Ratio:R=14.0% G=82.9% B=3.2% Peak WL:Lp=447.4nm HWL:Lhd=20.6nm
 Render Index:Ra=71.5
 R1 =71 R2 =74 R3 =75 R4 =74 R5 =72 R6 =66 R7 =79
 R8 =61 R9 =0 R10=37 R11=72 R12=42 R13=70 R14=86 R15=66

Photo Parameters:

Flux = 2395 lm Eff. : 68.01 lm/W Fe = 7.435 W

Electrical parameters:


V = 13.20 V I = 2.668 A P = 35.21 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_6500K

Status: Integral T = 4 ms Ip = 54396 (83%)

Model:M5S-H4 L
 Tester:李士英
 Temperature:23Deg
 Manufactory:

Number:1#
 Date:2022-06-02
 Humidity:60%
 Remarks:

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3178$ $y=0.3303$ $u'=0.2009$ $v'=0.4698$
 $T_c=6223K$ (Duv=0.0013) Dominant WL:Ld =489.2nm Purity=5.5%
 Ratio:R=13.9% G=82.3% B=3.8% Peak WL:Lp=450.5nm HWL:Lhd=25.4nm
 Render Index:Ra=74.0
 R1 =72 R2 =78 R3 =79 R4 =75 R5 =73 R6 =69 R7 =83
 R8 =63 R9 =0 R10=44 R11=72 R12=45 R13=73 R14=88 R15=69

Photo Parameters:

Flux = 1772 lm Eff. : 64.03 lm/W Fe = 5.603 W

Electrical parameters:

V = 13.20 V I = 2.097 A P = 27.68 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_6500K

Status: Integral T = 5 ms Ip = 46702 (71%)

Model:M5S-H4 L 稳定
 Tester:李士英
 Temperature:23Deg
 Manufactory:

Number:1#
 Date:2022-06-02
 Humidity:60%
 Remarks: