


Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3286$ $y=0.3415$ $u'=0.2041$ $v'=0.4772$
 $T_c=5669K$ (Duv=0.0019) Dominant WL:Ld =516.8nm Purity=1.7%
 Ratio:R=14.4% G=83.0% B=2.6% Peak WL:Lp=445.3nm HWL:Lhd=19.2nm
 Render Index:Ra=69.6
 R1 =69 R2 =72 R3 =74 R4 =72 R5 =71 R6 =64 R7 =77
 R8 =59 R9 =0 R10=34 R11=72 R12=42 R13=68 R14=85 R15=64

Photo Parameters:

Flux = 2986 lm Eff. : 111.67 lm/W Fe = 9.131 W

Electrical parameters:


V = 13.50 V I = 1.981 A P = 26.74 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_5700K

Status: Integral T = 3 ms Ip = 44782 (68%)

Model:M6-H8
 Tester:梁思敏
 Temperature:23Deg
 Manufactory:

Number:1#
 Date:2023-03-22
 Humidity:60%
 Remarks:

Spectrum Test Report



Color Parameters:

Chromaticity Coordinate: $x=0.3245$ $y=0.3386$ $u'=0.2023$ $v'=0.4751$
 $T_c=5866K$ (Duv=0.0024) Dominant WL:Ld =499.6nm Purity=2.7%
 Ratio:R=14.2% G=82.3% B=3.5% Peak WL:Lp=450.4nm HWL:Lhd=27.4nm
 Render Index:Ra=73.0
 R1 =71 R2 =77 R3 =79 R4 =74 R5 =72 R6 =68 R7 =82
 R8 =61 R9 =0 R10=43 R11=71 R12=45 R13=71 R14=88 R15=67

Photo Parameters:

Flux = 1449 lm Eff. : 97.29 lm/W Fe = 4.534 W

Electrical parameters:

V = 13.50 V I = 1.103 A P = 14.89 W PF = 1.000
 LEVEL:OUT WHITE:ANSI_5700K

Status: Integral T = 8 ms Ip = 49542 (76%)

Model:M6-H8 稳定
 Tester:梁思敏
 Temperature:23Deg
 Manufactory:

Number:1#
 Date:2023-03-22
 Humidity:60%
 Remarks: